



Secure Connections with Provided Allen Wrench Set and Screws Center the Falcon mount with the Curved Cross Bar. There are 2 Holes with Screws and Caps inserted in the Center of the Cross Bar to align with the Center of the Falcon Mount. Use those Screws and Caps to secure the Falcon Mount to the Cross Bar







Secure Here on Both Sides

Secure Here on Both Sides

0

# Unfold the Protective Netting

Slide the Pockets on the Protective Netting around the Steel Extension Posts. The Longer Carpet Flaps should be in the Front.


- ELEV 12' 2" O MPH (>


S 1 🛨 K2 🗇

Slide the Protective Netting all the way back until the Tips of the Extension Posts are Exposed.










Place the Steel Connecting Poles at the Ends of the Curved Support Bar into the Trays on the top of each Side Support Beam.





# Secure the Falcon to the Mount by sliding the Brackets on Top of the Falcon over the Falcon Mount Brackets.

The weight of the Falcon will offset the Curve making the Support Bar Straight.



Connect the Power Cable and Ethernet Cable as shown. Run the cables along the Support bar Frame.

(Cables will be Black. Colors changed to show visibility)


Plug in the Power Cable to the Extension Cord and run them with the Ethernet Cable along the Support bar Frame.

(Cables will be Black. Colors changed to show visibility)

### Use the provided Zip Ties to Secure the Cables to the Frame.

0

## Continue securing the cables down the frame.




Continue securing the cables down the frame and run them to the PC Cart

Connect the Ethernet Cable to the back of the PC. Ð

Plug the Extension Cord into the Power Strip included in the Sim-In-A-Box.




Secure the Velcro Strips of the Netting to the Inner Wall Carpet Edge of the SIAB.



Secure the Velcro Strips of the Netting to the Inner Lid Carpet Edge of the SIAB.







Secure the Loose Protective Netting by Wrapping the Carpet Flaps around the Support Bar and Beams and Securing to Velcro on the Frame.



### Opened Flaps




Flaps will Wrap Around Support Bar and Beams and will Secure to the Velcro on the Frame.



0


Opened Flaps




Flaps will Wrap Around Support Bar and Beams and will Secure to the Velcro on the Frame.

0

Opened Flaps





### Wrapped and Secured Flaps



